



The **best** equipment  
no matter the size.



# INTRODUCING **MULTI-TIP**

## 30% BETTER PERFORMANCE GUARANTEED



### INCREASED PERFORMANCE

The combination of more cutting tips on a wheel whilst maintaining a good distance between the teeth, packs a punch that is unmatched by any other system.

### QUICK TO CHANGE

A single bolt holds the tooth in place. This is undone and tightened with a simple hex key.

### COST SAVING

The tooth takes nearly all the wear because all the other components are protected.

### STRENGTH

Forces are transferred directly into the wheel with very little bending or shearing action on any components.

### EASE

Teeth can only be fitted one way, there is no special adjustment necessary, Ensuring perfect setup every time.



# PREDATOR ST-661

## The ST-661 is lightweight, high performance tree stump grinding attachments for the Stihl MS 661 chainsaw.

Manufactured in the UK using advanced tools & materials, these attachments are the perfect solution for arb professionals seeking to offer a stump grinding service, without excessive outlay.

The attachment is compact and can be easily taken to site with the rest of your tools. Simply attach to your existing Stihl MS 661 engine

and have a stump grinder ready to do the job instantly. No more lost profits on subcontracting or hire.

With a light footprint, the attachment is perfect for removing stumps in delicate areas like flowerbeds or lawns.

The ST-661 is an affordable access all areas tree stump grinding solution for even the smallest firms.



### Technical Specifications

Engine	Stihl MS-661 (not included)
Length	1657mm
Overall Weight	28.8kg (Dry)
Weight without Leg	24.6kg (Dry)

### Features

- Powered by Stihl 661 Chainsaw motor (not included)
- Hand-held manual stump grinder attachment
- Weight without leg guard = under 25kg
- Compact, portable and easy to assemble
- Access all areas
- Light footprint - great for delicate areas like flowerbeds
- Quick-change teeth
- Designed for professional use

# PREDATOR 360

In the category of pedestrian machines, this is without doubt the most versatile and effective. With its central pivot, it turns a job that should be hard work into something that can be repeated over and over again without tiring the operator. It has a great swing for such a compact grinder, at 812mm or sixty degrees, it's unmatched by any other stump grinder on the market. It's also just 660mm wide. The Predator 360's maneuverable, well built, efficient, powerful and with the US patented

**Multi-Tip cutting system as standard, approximately 30% more efficient than the same machine with finger teeth.**

Utilizing Honda's extremely reliable GX390 13hp engine, this is a great "small" machine. Compact, transportable and user friendly. This is also one of the most affordable pivot stump grinders in its class. The Predator 360SW is superbly built with a perfectly balanced low center of gravity. This machine is perfect for the Landscaper, Plant Hire company or smaller Tree Surgeon.



## Technical Specifications

Engine	Honda 13hp
Length	1300mm
Width	660mm
Height	1050mm
Weight	145kg
Fuel	Petrol 7.3L
Cutting Depth	225mm
Cutting Height	200mm
Slew	812mm
Wheel	350mm MT
Teeth	4 x Multi Tip
Start	Pull

**HONDA**  
**ENGINES**



# PREDATOR 460

This new concept in stump grinding is designed to make your job easier. The new central pivot, giving you a 1220mm swing reduces fatigue on the operator by more than 40% and makes your job much quicker. Predator's trade mark build quality and narrow access design ensures you can rely on accessing those narrow sites and getting the job done, hassle free, every time.

Fitted with a 25HP Kohler petrol engine as standard and a 3HP variable drive, this machine can get anywhere and travel up the steepest ramps with ease. The electric drive unit is as powerful as hydrostatic drive but in fitting it, we're able to keep the machine compact, rugged and refined and over 150KG lighter than our nearest competitor's machine, keeping the centre of gravity low, ensuring stability. If you're looking for an affordable machine that can tackle the biggest stumps with ease, look no further...



## Technical Specifications

Engine	Kohler 25hp
Length	2200mm
Width	750mm
Height	880mm
Weight	230kg
Brake	Mechanical Drum Brake
Cutting Depth	355mm
Slew	1220mm
Travel Speed	4KMH
Cutting Head	6 x Multi Tip
Belts	2 x V Belt
Start	Electric

**KOHLER**  
ENGINES



# PREDATOR 38X

**The Predator 38X combines industry-leading design with raw, American brute power. With the latest, 38 horse power Kohler gas engine, this machine grinds with a near unimaginable pace for such a compact unit.**

The big machine in a small package. The Predator 38X has the specifications of a large grinder - 1140mm swing, 450mm cutting depth, 812mm cutting height and 38 horse power yet it will fit through a 670mm gateway, making it the narrowest machine available in it's class. The as-standard Multi-Tip system also makes for easy work with

a guaranteed 25% minimum efficiency increase over standard finger teeth. Narrow access has been a requirement in the UK for many years. Popular with city authorities and Arborist alike, the Predator 38X is as good on street trees as it is in tight back gardens. When grinding, the debris spray is very limited making operations safe and post-job clean up quick and easy. Designed to meet ever toughening regulations in Europe, the noise levels are extremely low and thanks to the refined Kohler engine, vibration is minimal too. These machines are low maintenance, smooth pieces of kit, designed to work hard, look good and get the job done, day in, day out.



**Easily Transportable**

Technical Specifications	
Engine	Kohler CH1000
Length	2400mm
Width	670 - 1000mm
Height	1500mm
Weight	1000kg
Fuel	Petrol 16L
Cutting Depth	450mm
Cutting Height	812mm
Slew	1140mm
Wheel	480mm MT
Teeth	6 x Multi Tip
Start	Electric

**KOHLER**  
ENGINES



# PREDATOR 38RX

**Looking for a large, high-performance Stump Grinder to undertake your commercial commitments and another to do your private work?**

Why not buy one machine for all jobs? Building on the hugely popular manual version, the Predator 38X, the Predator 38RX is the ultimate in refinement. Smooth, powerful and reliable, it's the same great, American powered machine but radio controlled. What are the benefits of a radio control? Why spend the extra money? The radio control system used in our machines allows excellent visibility and improved operator safety and positioning. You can grind a stump without having to stand at the back of the machine. Vibration levels are zero. Control is absolute. The sophisticated

controller with a range of 350 meters cannot be interfered with by other units, operates on its own unique frequency and is programmed to shut the machine down if interference occurs. The controls are fully proportional and as accurate as a lever. They're fully programmable - if you have a rental fleet and you want everything slowed down, no problem, it's a simple task using the supplied programming cable. Most of all, you're buying into the same concept as our other models, the "big machine, small package" theory. We lead the market with this machine, the specs speak for themselves. A cutting depth of 450mm, a swing of 1140mm and a cutting height of 812mm, coupled with a width of just 670mm and 38 horse power, check it out...



## Technical Specifications

<b>Engine</b>	<b>Kohler CH1000</b>
<b>Length</b>	<b>2400mm</b>
<b>Width</b>	<b>670 - 1000mm</b>
<b>Height</b>	<b>1500mm</b>
<b>Weight</b>	<b>1000kg</b>
<b>Fuel</b>	<b>Petrol 16L</b>
<b>Cutting Depth</b>	<b>450mm</b>
<b>Cutting Height</b>	<b>812mm</b>
<b>Slew</b>	<b>1140mm</b>
<b>Wheel</b>	<b>480mm MT</b>
<b>Teeth</b>	<b>6 x Multi Tip</b>
<b>Start</b>	<b>Electric</b>



Radio Control option available

# PREDATOR 50RX

**The Predator 50RX is without doubt the most versatile Stump Grinder about. It is the only large, 50 HP machine on the market that can get in anywhere.**

It's variable width track base travels from 790mm to 1170mm at the touch of a button, allowing a big machine to fit through a gateway narrower than three feet with ease. As standard, a high performance, incredibly compact, powerful and great looking radio controlled Stump Grinder but just as easily with our rear PTO, a Dozer, Tow Vehicle, Mulcher, Flail or Powerpack, anywhere you

want. We use the fully proportional, highly accurate and incredibly reliable Scanreco G2B radio control system. This is commonly found on cranes, it allows the operator to have the feel and control of a hydraulic lever, whilst having the flexibility and vision of a remote operator. Whatever your requirements, a machine that can cut effortlessly to a depth of 380mm with a swing of 1500mm, fit through such a narrow gap, doesn't have a belt or clutch in sight, looks as good and works as well as the Predator 50RX has got to be worth checking out....



Hook up any attachment with the P50RX rear hydraulic PTO

Technical Specifications	
Engine	Hatz 50hp
Length	2740mm
Width	790mm - 1170mm
Height	1450mm
Weight	1500kg
Fuel	Diesel / 30L Diesel
Cutting Depth	380mm
Cutting Height	600mm
Slew	1500mm
Wheel	560mm
Teeth	8 x Multi Tip
Start	Electric



Radio Control option available



# PREDATOR 50RX ATTACHMENTS

At only 790mm in width the P50RX is not only an extremely compact and powerful 50hp stump grinder, it's also a narrow access Powerpack. Utilize our range of attachments and turn your machine into a remote controlled Tracked Mulcher or Wood Processor. With a P50RX you have the freedom to expand your business services to land clearance and beyond by utilizing just one unit.

The versatility of this stump grinder is not only unrivalled, but when compared to competing machines in its class, can also be far more affordable. If you are looking for a high powered compact Stump Grinder that will equip you to offer a multitude of services to your clients, check out the P50RX.

## Other Attachments in our range:

- 7.5 Tonne Winch
- Auger
- Log Splitter
- Post Basher



Turn your P50RX into a tracked Mulcher - Clears brambles, sazplings, hedgerows and any other material up to 70mm in diameter.



7.5 Tonne Winch (Supplied with Ground Anchor Spikes) - Can be operated from the Remote Control for added safety & visibility. When on soft ground the Anchor Spikes will lock the machine in place, allowing the Winch's full capability to be utilised. Powers both in and out for a variety of uses, the controlled lowering of tree limbs for example.



**Our Engineers are constantly sourcing and designing new innovative attachments for the P50RX. If you have a specific application in mind, just get in touch.**



# PREDATOR 65RX

**The Predator 65 RX is our largest machine. With a powerful, air-cooled Hatz Silent Pack diesel and a 710mm Multi-Tip wheel, this machine achieves an incredible cutting depth of 680mm, a swing of 1750mm coupled with a fantastic cutting speed, yet, as you'd expect from a Predator, it will still fit through a 890mm gateway.**

With the same, fully hydraulic approach as the Predator 50 and the versatility that comes with the same range of attachments such as the Dozer Blade, Tow Ball and Flail/Mulcher suitable for mounting to the rear, you get a serious tool for a reasonable price. This machine



incorporates an auxiliary hydraulic service as standard when ordered with an attachment. The Predator 65RX is equally comfortable on large-scale site clearances or small stumps in back yards. The low ground pressure tracks combined with a weight of just 2000kg make it easily maneuverable and suitable for all applications. It is extremely well balanced for lifting, fitted with four perfectly spaced lifting eyes. As does our Predator 50RX, the Predator 65RX is supplied with the extremely accurate, fully proportional Scanreco G2B radio control system allowing perfect control in any environment, just as a hydraulic lever would.

Technical Specifications	
Engine	Hatz 65hp
Length	3200mm
Width	890-1180mm
Height	1450mm
Weight	2000kg
Fuel	Diesel 30L
Cutting Depth	680mm
Cutting Height	600mm
Slew	1750mm
Wheel	710mm MT
Teeth	10 x Multi Tip
Start	Electric



Radio Control option available

# PREDATOR FZ700H

**The FZ700H suspension grinder is a serious Stump Grinder, designed to be fitted to larger excavators from 12 tons and above. The 710mm wide Multi-Tip cutting wheel takes ten teeth, each with four cutting tips, giving a total of forty cutters, yet to keep it sharp, you just change the two leading teeth, an operation that takes less than two minutes.**

The extremely robust, Parker, bent-axis piston motor is again the same as fitted to our Predator 65RX, requiring an ideal flow rate of 33 gallons

per minute from your excavator. The Predator FZ700H in conjunction with your machine will make for a formidable Stump Cutting tool, ideal for any kind of large-scale site clearance, railroad maintenance, forestry or civil engineering projects. The system runs in reverse to normal stump grinders, allowing the machine operator to have a perfect view of the job in hand, the debris spray is small and the construction quality is excellent. The Predator FZ700H is built to last and last. Supplied with a flat, pre-drilled plate to the top, ready for an interface bracket to fit your machine.

- Parker Motor - Fitted with the superior quality, Parker, high performance, bent axis, piston motor.
- P75 Hub - Strong P75 bearings and hub with the added outrigger bearing for even more strength.
- Interface Bracket - Specially designed brackets to attach this stump cutter to almost any excavator.



## PREDATOR FZ500H

The Predator FZ500H is an excavator attachment designed to run off your excavator's hydraulic circuit.

Ideal for machines from 3 tons and above. If you have a 50 litre per minute or 13 US gallon flow and pressure up to 250 BAR, you'll get the most out of this machine. For those whose machines do not quite provide this, we make the fantastic engine versions below. Fitted with the same 6 X Multi-Tip wheel as the Predator 28 & 38 machines.



### Technical Specifications

Engine	Hydraulic
Length	880mm
Width	765mm
Height	1000mm
Weight	170kg
Fuel	No
Cutting Depth	Limited only by excavator
Cutting Height	Limited only by excavator
Slew	Limited only by excavator
Wheel	482mm MT
Teeth	6 x Multi Tip
Start	Hydraulic Lever In Cab

## PREDATOR FZ500-38

The Predator FZ500-38 is an attachment for excavators from two to six tons.

It is supplied with the same powerful Kohler V-Twin 38 HP engine as the predator 38 range. Fitted with a remote control operation from the cab, it's really simple to use and extremely versatile.



### Technical Specifications

Engine	Hydraulic or Kohler 38hp
Length	889mm
Width	762mm
Height	1270mm
Weight	244kg
Fuel	Petrol 20L
Cutting Depth	508mm
Cutting Height	Limited only by excavator
Slew	Limited only by excavator
Wheel	482mm MT
Teeth	6 x Multi Tip
Start	Electric

**KOHLER**  
ENGINES



### Technical Specifications

Length	1280mm
Width	810mm
Height	910mm
Weight	330kg
Cutter Wheel Diameter	710mm
Pressure	350bar
Ideal Flow	125 L/min
Construction	Solid Frame
Cutter Wheel	10 x Multi Tip



## NEW ZEALAND

Hansa Products Ltd  
36 Tawn Place,  
PO Box 10323,  
Hamilton 3200  
New Zealand

**FREEPHONE** 0508 4 HANSA (0508 442 672)  
**PHONE** 07 849 4749  
**EMAIL** [info@hansaproducts.co.nz](mailto:info@hansaproducts.co.nz)  
[hansaproducts.co.nz](http://hansaproducts.co.nz)

## AUSTRALIA

Hansa Products Pty Ltd  
1/6 Gravel Pit Rd,  
P.O. Box 3178, Darra  
4076 Australia

**FREEPHONE** 1800 426 722  
**EMAIL** [info@hansaproducts.com.au](mailto:info@hansaproducts.com.au)  
[hansaproducts.com.au](http://hansaproducts.com.au)